

CAT DV43 (988B) ROUGH TERRAIN FORKLIFT



POWERMAX
EQUIPMENT

2204 Commerce Street
P.O. Box 575
Fairview, OK 73737
USA

580.227.3908 (PHONE)
580.227.3928 (FAX)

www.powermaxeq.com

CAT DV43

ROUGH TERRAIN FORKLIFT

Assembled from CAT 988B with CAT approved weights, mast, etc.

GENERAL INFORMATION

The CAT DV43 is a Rough Terrain Forklift which was built from a CAT 988B wheel loader. It is a refurbished 4 wheel drive unit designed for use on rough terrain or to travel through water 60" deep.

Forklift is 25 Ton (50,000#) capacity.

Some of the many uses of the CAT DV43 Rough Terrain Forklift are as follows:

- Remove and transport engines for rebuilding, saving the cost of another means of handling.
- Transport large equipment tires for repair, saving the need for a special tire handling unit.
- Can be used for moving heavy oilfield equipment around yard or for loading and unloading low boy trailers.
- Hauling rolls of rubber conveyor material for assembly or replacement; therefore, replacing the need of other handling equipment.
- Hauling track group material for replacement on dozers, excavators, and other equipment.
- Transport 25 ton steel coils to work stations eliminating the need of an extra crane.
- Assist in the clean-up of derailed rail cars while waiting for specialized rail equipment.

Powermax
EQUIPMENT



50,000 lb. Lift Capacity
12' Lifting Height
Radial Tires - Michelin 35/65 - R33



Rear Counter Weights - 16,000#

CAT 3408T Engine - 393 HP

**Carriage and Mast
Tilt Cylinders**



4 1/4" x 12" x 96" Forks

**Fork Positioner and
Carriage Side Shift
Cylinders**

