

BAU- UND KRANFAHRZEUGE



B
A
U
U
N
D
K
R
A
N

MAURER
TONI

LÖSUNGEN FÜR DIE BESONDERE HERAUSFORDERUNG

1. Betonpumpen- und Hubsteiger-Fahrgestelle: Vorbereitung von Serienfahrgestellen bis zum Sechsfachser
2. Wendige Vierachser (Umbau starre Hinterachse zu angetriebener Lenkachse)
3. Fünffachser mit gelenkter Vor- oder Nachlaufachse
4. Bindemittelstreuer
5. Vorbereitung Zweibege-Einsatz
6. Fahrzeuge für Energieversorger und Freileitungsbau
7. Kabelpflug-Winde
8. Kran-Fahrgestelle
9. Kranfahrzeuge mit Sonderrahmen für Kranfahrzeuge 90 mt und Sattelhöhe 1070 mm
10. Fahrzeugbreite 2,3 m „Schweizer Breite“ für 4x2, 4x4, 6x2, 6x4, 8x2 und 8x4
11. Sonderfahrzeugbreite 2 m
12. Rahmen für Wechsellösungen (Festaufbau, Sattel, Sattel mit Verschiebeeinrichtungen, Wechselaufbau und Sattel, z. B. Teerkocher / Sattel)
13. Nebenabtriebe
14. Zusatzachsen / Lenkachsen (angetrieben / nicht angetrieben)
15. Änderung von Radstand, Rad- oder Lenkformel
16. Frontabstützungen bis 30 t
17. Kranvorbereitung
18. Rahmenanbauten aller Art
19. Änderung von Rahmenspur / oder Rahmenüberhang
20. Front- und Heckkupplungen
21. Zusatzluftfederungen
22. Zusatzachsen (z. B. für leichte Vierachser, Fünf- oder Mehrachser)
23. Einbau von Seilwinden
24. Umbereifung
25. Fahrerhausmodifikationen: Flachdächer, Dacheinschnitte, Fahrerhausversatz vor und tief, Zusatzverglasungen
26. Winterdienstvorbereitung, Zusatzbeleuchtungen, Kamerasysteme
27. Kranaufbau



Besondere Anforderungen im Bau- und Kran-Alltag bedürfen spezieller Fahrzeuge, um die Arbeit überhaupt erst aufnehmen zu können. Egal ob räumliche Enge, schwere Lasten, auf Gleisen, im unwegsamen Geländequerfeldein oder schwer erreichbare Höhen – wir haben die passende Lösung für Sie.



1. Concrete pump and lifting platform chassis: Preparation of series chassis up to 6 axles
2. Manoeuvrable four-axle (conversion of rigid rear axle to driven steering axle)
3. Five axles with steered leading or trailing axle
4. Binding agent spreader
5. Preparation for two-lane use
6. Vehicles for energy providers and pylon construction
7. Cable plough winch
8. Crane chassis
9. Mobile crane with special frames for 90 tm crane vehicle and semi height 1070 mm
10. Vehicle width 2.3 m „Swiss width“ for 4x2, 4x4, 6x2, 6x4, 8x2 und 8x4
11. Special vehicle width 2 m
12. Frames for changeover solutions (fixed construction, semi, semi with sliders, changeover construction plus semi, e.g.: tar boiler / semi)
13. Auxiliary takeoffs
14. Additional axles / steering axles (driven / non-driven)
15. Changing of wheelbase, wheel or steering formula
16. Front outriggers up to 30 t
17. Crane preparation
18. Frame add-ons of all types
19. Changing of frame track and/ or frame overhang
20. Front and rear couplings
21. Additional air suspensions
22. Additional axles (e.g. for light four-axles, five or multi-axles)
23. Fitting of winches
24. Re-fitting tyres
25. Driver's cab modifications: Flat roofs, roof cut-outs, cab relocation forwards and downwards, additional glazing
26. Winter service preparation, additional lighting, camera systems
26. Crane installation



...IM EINSATZ



TONI MAURER GmbH & Co. KG

Ettringer Str. 15 • 86842 Türkheim / Germany
 Tel.: +49 8245 9694-0 • Fax: +49 8245 9694-80
 www.toni-maurer.de • info@toni-maurer.de