

# SWINGWIDE

Hydraulic widening low loader



making light work of heavy loads



**65-120**  
TONNE CAPACITY

**HYDRAULIC  
WIDENING**

**ROWS OF  
8 TYRES**



**AUSTRALIAN DESIGNED  
AUSTRALIAN MADE  
AUSTRALIAN OWNED**

# SWINGWIDE LOW LOADER

- AVAILABLE IN 3 x 8, 4 x 8 AND 5 x 8 TYRE CONFIGURATIONS
- CUSTOMIZED TO SUIT YOUR TRANSPORT REQUIREMENTS
- DESIGNED AND MANUFACTURED IN AUSTRALIA WITH THE HIGHEST QUALITY MATERIALS AND WORKMANSHIP TO SUIT THE MOST DEMANDING TASKS
- RELIABLE PRODUCT SUPPORT AND SPARE PARTS

## STANDARD FEATURES

- |  |   |
|--|---|
| <input type="checkbox"/> STAINLESS STEEL HYDRAULIC TUBING      | <input type="checkbox"/> GRIT BLASTED AND PAINTED IN 2 PACK PAINT |
| <input type="checkbox"/> LEVEL DECK OPEN AT INNER REAR         | <input type="checkbox"/> DROP LEGS                                |
| <input type="checkbox"/> HYDRAULIC CONTROLLED RAMPS            | <input type="checkbox"/> DUNNAGE TRAYS AND LOCKABLE TOOL BOXES    |
| <input type="checkbox"/> 5.5HP PULL START HYDRAULIC POWER PACK | <input type="checkbox"/> PUSH POINT AT REAR                       |
| <input type="checkbox"/> TWO HORIZONTAL SPARE TYRE CARRIERS    | <input type="checkbox"/> LED LIGHTING                             |
| <input type="checkbox"/> ALLOY WATER TANK                      |   |

## AUXILIARY AND OPTIONAL EXTRAS

- |                                   |                                  |
|-----------------------------------|----------------------------------|
| ■ DROP DECK                       | ■ DOUBLE HUNG RAMPS              |
| ■ HYDRAULIC GOOSENECK             | ■ RADIO REMOTE CONTROL OPERATION |
| ■ FULLY ENCLOSED REAR DECKS       | ■ HYDRAULIC SPARE TYRE CRANE     |
| ■ DIESEL POWER PACK               | ■ VARIOUS STORAGE SOLUTIONS      |
| ■ GROENEVELD AUTO GREASING SYSTEM |                                  |


TRAILER SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE. FEATURED TRAILERS IN PHOTOS MAY INCLUDE OPTIONAL EXTRAS.

## 1 GOOSENECK

- |   |  |
|---|--|
| ■ PERIMETER FRAME (DUEL) NECK DESIGN                  | ■ OSCILLATING SKID PLATE                           |
| ■ HIGH TENSILE STEEL                                  |  |
| <input type="checkbox"/> ACCESS STEPS                 | <input type="checkbox"/> HYDRAULIC RAISE / LOWER   |
| <input type="checkbox"/> REMOTE CONTROL RAISE / LOWER | <input type="checkbox"/> 2 OR 3 KING PIN POSITIONS |



HYDRAULIC WIDENING FROM 2.5M TO 4.27M OR 2.7M TO 4.6M



STANDARD SPARE TYRE ARRANGEMENT

## 2 AUXILIARY EQUIPMENT

- |   |   |
|---|---|
| ■ SPARE TYRE MOUNTS                                     | ■ LED LIGHTING                            |
| ■ TOOL BOXES  | ■ SAFETY FLAGS AND SIGNAGE                |
| <input type="checkbox"/> ADDITIONAL SPARE TYRE CARRIERS | <input type="checkbox"/> DUNNAGE TRAYS    |
| <input type="checkbox"/> HYDRAULIC SPARE TYRE CRANE     | <input type="checkbox"/> YARD RELEASE KIT |
| <input type="checkbox"/> LOCKABLE TOOL BOXES            | <input type="checkbox"/> ALLOY WATER TANK |

# 3

## POWER PACK

- MANUAL HAND PUMP BACKUP
- 5.5HP PULL START PETROL POWER PACK AND RESERVOIR

- ELECTRIC START POWER PACK
- DIESEL POWER PACK
- PTO PRIME MOVER SUPPLY



EXTENDABLE DECK SECTION



5.5HP PULL-START HYDRAULIC POWER PACK

# 5

## REAR LOADING RAMPS

- HEAVY DUTY
- BUILT IN SAFETY FEATURES
- HYDRAULIC CONTROLLED
- STANDARD 3.05M x 0.9M

- EXTRA HEAVY DUTY 3 BEAM 3.05M x 1.0M
- SELF OPENING DOUBLE HUNG 4.1M x 1.0M
- CUSTOM MADE TO SUIT YOUR REQUIREMENTS



HYDRAULIC CONTROLS AND LOCKING PINS



REAR RAMP LOWERED POSITION

# 4

## FRAME / DECK

- HYDRAULIC WIDENING 2.5M TO 4.27M OR 2.7M TO 4.6M
- AIR OPERATED LOCK PINS ARE FITTED TO FRONT AND REAR BUMPER TO SET WIDTHS
- DECKS HAVE BUILT IN BEAVER TAIL FOR IMPROVED LOADING
- BUILT ONLY WITH **AUSTRALIAN, JAPANESE AND SWEDISH STEEL**
- TIE DOWN POINTS ARE INCORPORATED INTO TRAILER DECKS, FRAME AND GOOSENECK
- ALL FRAME COMPONENTS CUT WITH HD PLASMA OR LASER
- WELDED TO AS1554 BY CERTIFIED TRADESMEN
- HIGH TENSILE QUENCH AND TEMPERED STEEL

- VARIOUS DECK CONFIGURATIONS AND LENGTHS INCLUDING LEVEL AND DROP-BED
- RADIO REMOTE CONTROL WIDENING AND LOCK PINS
- OPEN, ENCLOSED AND EXTENDABLE
- DRAG LINE BUCKET RECESS

# 6

## AXLE / SUSPENSION ASSEMBLES

- HEAVY DUTY HYDRAULIC EQUALISING TRAILING ARM AXLES / SUSPENSION
- ROWS OF 8 TYRES

- RADIO REMOTE CONTROL SUSPENSION RAISE / LOWER
- SKF UNITISED BEARING HUB AND OUTBOARD BREAK DRUM FOR EASE OF SERVICE
- DEMOUNTABLE OR DISC WHEELS

19 FORMATION STREET WACOL QUEENSLAND AUSTRALIA 4076  
TELEPHONE +61 7 3271 5888 FAX +61 7 3271 5999  
www.draketrailers.com and www.thedrakeshop.com



## DRAKES IN ACTION



DRAKE 2 x 8 DOLLY AND 3 x 8 LEVEL DECK EXTENDABLE



DRAKE 4 x 8 DROP DECK



DRAKE 5 x 8 LEVEL DECK EXTENDABLE



DRAKE 3 x 8 LEVEL DECK EXTENDABLE